



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/697,682

10/29/2003

Xing Su

21058/1206739-US1

9817

75172

7590

11/12/2008

Client 21058

c/o DARBY & DARBY P.C.

P.O. BOX 770

CHURCH STREET STATION

NEW YORK, NY 10008-0770

EXAMINER

HA, JULIE

ART UNIT

PAPER NUMBER

1654

MAIL DATE

DELIVERY MODE

11/12/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/697,682

Applicant(s)

SU ET AL.

Examiner

JULIE HA

Art Unit

1654

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period **will** apply and **will** expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply **will**, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 August 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 and 10-30 is/are pending in the application.
- 4a) Of the above claim(s) 17-30 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8 and 10-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 18, 2008 has been entered. Claim 31 has been cancelled. Claims 1-8 and 10-30 are pending in this application. Claims 17-30 remain withdrawn from further consideration, as being drawn to nonelected inventions. Claims 1-8 and 10-16 are examined on the merits in this office action.

Withdrawn Rejection

2. Claim 2 rejected under 35 U.S.C. 112, second paragraph as lacking insufficient antecedent basis, is hereby withdrawn in view of Applicant's persuasive arguments.

Maintained Rejection

35 U.S.C. 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 1654

4. Claims 1, 4-5, 7-8, 10-14 and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Chan EY (US Patent # 6210896).

5. Chan EY teaches methods and products for analyzing polymers, and the use of molecular motors to move polymers with respect to a station such that specific signals arise from the interaction between the polymer and an agent at the station (see abstract). The reference teaches the method for analyzing polymers based on the ability to examine each unit of a polymer individually, and by examining each unit individually the type of unit and the position of the unit on the backbone of the polymer can be identified (see column 2, lines 32-38). Furthermore, the reference teaches that one aspect of linear analysis techniques involves the movement of the polymer past a station in such a manner as to cause a signal that provides information about the polymer to rise (see column 2, lines 52-55). Furthermore, the reference teaches that a method for analyzing a polymer includes the steps of exposing a plurality of individual units of a polymer to an agent selected from the group consisting of an electromagnetic radiation source, a quenching source, and a fluorescence excitation source causing the molecular motor to move the polymer relative to the agent, and detecting signals resulting from an interaction between the units of the polymer and the agent (see column 2, lines 60-67 and column 26). Furthermore, the reference discloses that another preferred method of analysis involves the use of radioactively labeled polymers (see column 27, lines 9-10) and the analysis of the radiolabeled polymers is identical to other means of generating signals (see column 27, lines 47-48). The reference teaches that in one embodiment, the polymer dependent impulses measured is an

Art Unit: 1654

electromagnetic radiation signal generated, and the units are detected at the signal generation station by measuring light emission at the station, the station can be a nanochannel (see column 6, lines 5-9). The reference further teaches a method for determining the order of units of a polymer of linked units, the method steps includes 1) moving the polymer linearly relative to a station using a molecular motor, 2) measuring a polymer dependent impulse generated as each of two individual units, each giving rise to a characteristic signal, pass by the station, 3) repeat steps 1 and 2, and 4) determining the order of at least the two individual units based upon the information obtained from said plurality of similar polymer (see column 5, lines 54-63). The reference further teaches that the polymer may be any type of polymer of linked units...nucleic acid or peptide (see column 3, lines 27-32). This reads on claims 1, 5, 7-8, 11-14. The reference further teaches that the labeled polymer is moved linearly relative to a station to produce a characteristic polymer dependent impulse generated as each of the two unit labels passes by the station, and further comprising the step of determining the distance between the polymer dependent impulses as an indication of the distance between the two unit labels (see column 4, lines 35-41). This reads on claims 1, 4, 7-8 and 16. Furthermore, the reference teaches that the method is a method for determining the proximity of two unit labels of the polymer wherein the proximity of the two unit labels is the signature of said polymer dependent impulses, the identity of each unit label being indicative of the identity of at least one unit of the polymer, wherein the labeled polymer is moved relative to a station to expose the two unit labels to the station to expose the two unit labels to the station to produce a

Art Unit: 1654

characteristic polymer dependent impulse arising from a detectable physical change in the unit label or the station, and further comprising the step of measuring the amount of time elapsed between detecting each characteristic polymer dependent impulse, the amount of time elapsed being indicative of the proximity of the two unit labels (see column 4, lines 42-54). This reads on claim 10. The reference discloses that sequence of polypeptide is determined by comparing the relative mass difference between fragments with the known masses of the amino acid residues (see column 2, lines 8-21). This reads on claim 4. Furthermore, the reference discloses that the ability to determine the distance between two units is important for determining how many units, if any, are between the two units of interest and the sequence of units serves as a blueprint for a known polymer (see column 13, lines 25-32). The reference teaches that the method is performed on a plurality of polymers, simultaneously (see column 4, lines 8-9). The reference teaches that multiple polymers can be analyzed simultaneously by causing more than one polymer to move relative to respective signal station on respective molecular motors (see column 8, lines 64-66). Furthermore, the reference teaches that FRET analysis can be performed on a single molecule in solution or as parallel reactions on a solid planar medium, or in different solutions, such as in multi-well dishes (see column 9, lines 29-32). Furthermore, the reference discloses analysis of labeled peptide analyzed by nanochannel FRET sequencing. The sequence-specific FRET information arising from each fragment is sorted into one of two complementary strand groups, sorting allows population analysis to determine the positions of all the desired bases, and to thus generate sequence information from the sorted data (see

Art Unit: 1654

column 21, lines 19-26). Additionally, Example 6 of the reference teaches that polymer is pulled closer to tip using dielectric forces created by applying an AC field to electrode and waveguide, i.e., metal layers, in addition to the DC field applied across wires. The AC field applied capacitively with respect to the DC field generates an inhomogeneous field in nanochannel (see column 36, lines 14-19), meeting the limitation of inner surface of the nanopores coated with a semiconductor material. As evidenced by the instant specification, "the sensor layers may comprise semiconductor material including, but not limited to, silicon, silicon dioxide, silicon nitride, germanium, gallium arsenide, and/or metal-based compositions such as metals or metal oxides (see paragraph [0078] of instant specification US 2005/0282229 A1). Therefore, the reference meets the limitations of claims 1, 4-5, 7-8, 10-14 and 16.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

6. Claims 1, 4-5, 7-8, 10-14 and 16 are rejected under 35 U.S.C. 102(e) as being anticipated by Chan EY (US Patent # 6355420).

7. Chan EY teaches methods and products for analyzing polymers, and methods for determining various other structural properties of the polymers (see abstract). The reference further teaches that the method for analyzing polymers according to the invention is based on the ability to examine each unit of a polymer individually. By

Art Unit: 1654

examining each unit individually, the type of unit and the position of the unit on the backbone of the polymer can be identified (see column 6, lines 48-50). Further, an individual unit of the single polymer in one aspect is caused to interact with an agent such that a change, e.g., energy transfer or quenching occurs and produces a signal (see column 7, lines 1-4), and the signal is indicative of the identity of the unit (see column 7, lines 4-5). Furthermore, the reference teaches that the polymer may be any type of polymer known in the art...is selected from the group consisting of a nucleic acid and a protein (see column 8, lines 49-51). The reference discloses that the units of the polymer which interact with the agent to produce a signal are labeled and the units may be intrinsically or extrinsically labeled, and the plurality of individual units of the polymer are exposed to at least two stations positioned in distinct regions of the channel, wherein the interaction between the units of the polymer and two stations produce at least two signals (see column 8, lines 53-67). The reference teaches that the method includes the steps of transiently moving the individual unit of the polymer relative to a station, the identity of the individual unit being unknown, detecting a signal arising from a detectable physical change in the unit or the station, and distinguishing said signal from signals arising from exposure of adjacent signal generating units of the polymer to the station as an individual unit (see column 10, lines 1-7). Furthermore, the reference discloses that when a unit of the polymer is exposed to the agent, the interaction between the two produces a signal...if each type of unit e.g., each type of amino acid is labeled with a different light emissive compound having a distinct light emissive pattern then each amino acid will interact with the agent to produce a distinct signal. By

Art Unit: 1654

determining what each signal for each unit of the polymer is, the sequence of units can be determined (see column 27, lines 58-67 and column 28, lines 1-5). Furthermore, the reference discloses that the labeled proteins remain completely stationary in space. By direct analogy, the spatial confinement of the nanochannels should limit or eliminate the Brownian motion of the labeled DNA in nanochannel FRET sequencing. This would allow a stable and predictable passage of the DNA through the nanochannels (see column 35, lines 39-64). The instant specification discloses that the skilled artisan will realize that where the specification refers to a "nanopore" different alternatives may use a "nanochannel" or "nanotube". The only requirement is that the nanopore, nanochannel or nanotube connect one fluid filled compartment to another and allow the passage and detection of labeled protein (see paragraph [0034]). Thus, this reads on claims 1, 7, 10, 11-13 and 16. The reference further teaches a method for analyzing a polymer of linked units comprising moving a plurality of individual units of a polymer of linked units through a channel and exposing the plurality of individual units to an agent selected from the group consisting of electromagnetic radiation, a quenching source and a fluorescence excitation source as the units move past the agent, individual units interacting with the agent to produce a detectable signal within the channel or at the edge of the channel (see Claims 1-4). This further reads on claims 7 and 11-14. The reference teaches that the detected signals can be compared to a known pattern of signals characteristic of a known polymer to determine the relatedness of the polymer being analyzed to the known polymer and analysis may also involve measuring the length of time elapsed between detection of a first signal from the first unit and a second

Art Unit: 1654

signal from a second unit. The time elapsed between the sequential detection of signals may indicate the distance between two units or the length of the polymer (see column 8, lines 36-47). Furthermore, the reference teaches that the method involves the steps of causing the polymer to pass linearly relative to a station, detecting a characteristic signal generated as each of the two individual units passes by the station, measuring the time elapsed between the signals measured, repeating steps for a plurality of similar polymers to produce a data set, and determining the distance between the two individual units based upon the information obtained from the plurality of similar polymers by analyzing the data set. Furthermore, the reference teaches that nanochannel can be prepared by electroless deposition procedure which produces a metal fibril running the complete width of the polycarbonate template membrane. The membrane can also be produced such that both faces of the membrane are covered with thin metal films to produce a nanodisk electrode ensemble...This assembly is useful for examining changes in current as polymers flow through changes in conductance can be measured (see column 46, lines 15-20 and 24-26). As evidenced by the instant specification, "the sensor layers may comprise semiconductor material including, but not limited to, silicon, silicon dioxide, silicon nitride, germanium, gallium arsenide, and/or metal-based compositions such as metals or metal oxides (see paragraph [0078] of instant specification US 2005/0282229 A1). Thus, this meets the limitations of claims 1, 4-5, 7-8, 10-14 and 16.

Art Unit: 1654

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

8. Claims 1, 4-5, 7-8, 10-14 and 16 are rejected under 35 U.S.C. 102(a) as being anticipated by Chan EY (US Patent # 6355420).

9. The teachings of Chan et al are described, supra.

Response to Applicant's Arguments

10. Applicant argues that "neither Chan '896 nor Chan '420 anticipates claims 1, 4-5, 7-8, 10-14 and 16 because neither reference teaches all of the recited features of the claims...Independent claim 1 has been amended to recite, *inter alia*, 'an inner surface of the nanopores coated with a semiconductor material.' Neither Chan '896 nor Chan '420 teach 'an inner surface of the nanopores coated with a semiconductor material' as recited in amended claim 1."

11. Applicant's arguments have been fully considered but have not been found persuasive. Chan '896 teaches that polymer is pulled closer to tip using dielectric forces created by applying an AC field to electrode and waveguide, i.e., metal layers, in addition to the DC field applied across wires. The AC field applied capacitively with respect to the DC field generates an inhomogeneous field in nanochannel (see column 36, lines 14-19), meeting the limitation of inner surface of the nanopores coated with a semiconductor material. As evidenced by the instant specification, "the sensor layers may comprise semiconductor material including, but not limited to, silicon, silicon dioxide, silicon nitride, germanium, gallium arsenide, and/or metal-based compositions such as metals or metal oxides (see paragraph [0078] of instant specification US

Art Unit: 1654

2005/0282229 A1). Therefore, Chan '896 as a whole anticipates the claimed invention of instant claims.

Chan '420 also teaches that nanochannel can be prepared by electroless deposition procedure which produces a metal fibril running the complete width of the polycarbonate template membrane. The membrane can also be produced such that both faces of the membrane are covered with thin metal films to produce a nanodisk electrode ensemble... This assembly is useful for examining changes in current as polymers flow through changes in conductance can be measured (see column 46, lines 15-20 and 24-26). As evidenced by the instant specification, "the sensor layers may comprise semiconductor material including, but not limited to, silicon, silicon dioxide, silicon nitride, germanium, gallium arsenide, and/or metal-based compositions such as metals or metal oxides (see paragraph [0078] of instant specification US 2005/0282229 A1). Therefore, Chan '420 as a whole anticipates the claimed invention of the instant claims.

Rejection-35 U.S.C. 103

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 1654

13. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

14. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

15. Claims 1, 3-5, 7-8, 10-14 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chan EY (US Patent # 6210896).

16. The teachings of Chan EY are described supra. The difference between the reference and the instant application is that the reference does not teach obtaining one or more proteins, polypeptides or peptides from a biological sample.

17. However, it would have been obvious to one of ordinary skill in the art to try the method of obtaining the identity of the protein of any sample, including proteins from biological samples, by using the teachings of US Patent '896. There is a reasonable

Art Unit: 1654

expectation of success since the method and the analysis of the Chan patent works on any polymeric compounds, such as DNA, RNA, and proteins that are labeled with luminescent labels, fluorescent labels, phosphorescent labels, chemiluminescent labels...nuclear magnetic resonance labels...electron spin resonance labels...and are detected with a photodetector or with an electrical detector.

18. Claim 2, 6 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chan EY (US Patent # 6210896) as applied to claims 1, 3-5, 7-8, 10-14 and 16 above in view of Thompson et al (US Patent # 5324637).

19. The teachings of Chan EY are described supra. The difference between the reference and the instant claims are that the reference does not teach nucleic acid into at least one chamber, each chamber containing a different type of labeled amino acid, and producing one or more labeled proteins, polypeptides or peptides encoded by the template nucleic acid, and the amount of labeled amino acid present in each chamber.

20. However, Thompson et al teaches a method for coupling transcription and translation from DNA, wherein RNA is transcribed from DNA and RNA translates into protein (see abstract). The reference further teaches that if a radiolabeled amino acid is used in the coupled reaction, such as ^{35}S methionine or ^3H leucine, then the corresponding amino acid is left out of the amino acid mix...RNA polymerase, either SP6, T7 or T3 is then added (see column 8. lines 60-65). Furthermore, the reference teaches that another method of measuring the amount of protein produced in coupled in vitro transcription and translation reactions is to perform the reactions using a known

Art Unit: 1654

quantity of radiolabeled amino acid such as ^{35}S methionine or ^3H leucine and subsequently measuring the amount of radiolabeled amino acid incorporated into the newly translated protein (see column 11, lines 40-46).

21. Therefore, it would have been obvious to one of ordinary skill in the art to combine the teachings of Chan EY patent and Thompson et al patent to obtain the protein identity, because both prior arts teach the identification of proteins, using labeling of the protein such as fluorescence labeling, radiolabeling of proteins (Chan) and radiolabeling of proteins (Thompson) to quantify and identify the proteins. There is a reasonable expectation of success, since Thompson et al provide a simple method for producing protein from a template DNA, such a method which can be used to couple transcription and translation of a single protein coded by the DNA template (see Thompson et al, column 4, lines 13-20). Furthermore, both prior arts teach radiolabeling of proteins to measure the amounts of labeling and Chan teaches limiting the region of detection of the polymer where the radiolabel exists on the protein.

22. It has been held that under KSR that "obvious to try" may be an appropriate test under 103. The Supreme Court stated in KSR, When there is motivation "to solve a problem and there are a finite number of identified, predictable solutions, a person of ordinary skill has good reason to pursue the known options within his or her technical grasp. If this leads to anticipated success, it is likely the product not of innovation but of ordinary skill and common sense. In that instance the fact that a combination was obvious to try might show that it was obvious under § 103." *KSR Int'l Co. v. Teleflex Inc.*, 127 S. Ct. 1727, __, 82 USPQ2d 1385, 1397 (2007).

23. The “problem” facing those in the art was that sequencing polymer methods are slow and labor intensive. For example, Sanger method involves the enzymatic synthesis of DNA molecules terminating in dideoxynucleotides, and subsequent analysis yields information of the length of the DNA molecules and the nucleotide at which each molecule terminates, and thus, the DNA sequence can be determined. The other method is Maxam and Gilbert method, which uses chemical degradation to generate a population of molecules degraded at certain positions of the target DNA, and with knowledge of the cleavage specificities of the chemical reactions and the lengths of the fragments, the DNA sequence is generated (see Chan patent ‘896, column 1, lines 32-47) and each process takes about 1-3 days, and there were a limited number of methodologies available to do so, for example radiolabeling the protein sequence, DNA sequencing, mass spectroscopy and ELISA sequencing. The skilled artisan would have had reason to try these methodologies with the reasonable expectation that at least one would be successful. In this case, Chan patent teaches that any polymer sequence can be labeled and run through the nanochannel, and the distance of each polymeric sequence can be read separately, for any DNA and protein sequences. Thus, performing a transcription coupled translation a radiolabeling the protein that is translated from RNA is a “the product not of innovation but of ordinary skill and common sense,” leading to the conclusion that invention is not patentable as it would have been obvious.

Response to Applicant's Arguments

24. Applicant argues that "independent claim 1 has been amended to recite, inter alia, 'an inner surface of the nanopores coated with a semiconductor material.' This feature is neither taught nor suggested by Chan '896, Chan '420, or Thompson."

25. Applicant's arguments have been fully considered but have not been found persuasive. As described above, Chan reference as a whole teaches the limitations of instant claims. Chan '896 teaches that polymer is pulled closer to tip using dielectric forces created by applying an AC field to electrode and waveguide, i.e., metal layers, in addition to the DC field applied across wires. The AC field applied capacitively with respect to the DC field generates an inhomogeneous field in nanochannel (see column 36, lines 14-19), meeting the limitation of inner surface of the nanopores coated with a semiconductor material. As evidenced by the instant specification, "the sensor layers may comprise semiconductor material including, but not limited to, silicon, silicon dioxide, silicon nitride, germanium, gallium arsenide, and/or metal-based compositions such as metals or metal oxides (see paragraph [0078] of instant specification US 2005/0282229 A1). Therefore, Chan '896 as a whole anticipates the claimed invention of instant claims.

Thompson reference teaches that another method of measuring the amount of protein produced in coupled in vitro transcription and translation reactions is to perform the reactions using a known quantity of radiolabeled amino acid such as ³⁵S methionine or ³H leucine and subsequently measuring the amount of radiolabeled amino acid incorporated into the newly translated protein (see column 11, lines 40-46). Therefore, it

Art Unit: 1654

would have been obvious to one of ordinary skill in the art to combine the teachings of Chan EY patent and Thompson et al patent to obtain the protein identity, because both prior arts teach the identification of proteins, using labeling of the protein such as fluorescence labeling, radiolabeling of proteins (Chan) and radiolabeling of proteins (Thompson) to quantify and identify the proteins. There is a reasonable expectation of success, since Thompson et al provide a simple method for producing protein from a template DNA, such a method which can be used to couple transcription and translation of a single protein coded by the DNA template. As described in the KSR analysis, sequencing polymer methods are slow and labor intensive, each process taking about 1-3 days, and there were a limited number of methodologies available to do so, for example radiolabeling the protein sequence, DNA sequencing, mass spectroscopy and ELISA sequencing. The skilled artisan would have had reason to try these methodologies with the reasonable expectation that at least one would be successful. In this case, Chan patent teaches that any polymer sequence or plurality of polymer sequences in multi-well can be labeled and run through the nanochannel, and the distance of each polymeric sequence can be read separately, for any DNA and protein sequences. Thus, performing a transcription coupled translation a radiolabeling the protein that is translated from RNA is a "the product not of innovation but of ordinary skill and common sense," leading to the conclusion that invention is not patentable as it would have been obvious. Therefore, the prior arts combined are prima facie obvious.

New Objection

26. Claim 1 is objected to for the following minor informality: Claim 1 has been amended. However, the strikethroughs and the new addition with underlines did not scan through. It appears that the amendment texts are in different color. And this did not scan through, and it is a little hard to read.

New Rejection

35 U.S.C. 112, 2nd

27. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

28. Claims 2, 6 and 15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

29. Claim is recites, "The method of claim 1, further comprising: a) placing a template nucleic acid into each chamber; and b) producing one or more labeled proteins, polypeptides or peptides encoded by the template nucleic acid." It is unclear if the labeled proteins, polypeptides or peptides encoded by the template nucleic acid are same as the labeled proteins, polypeptides or peptides recited in claim 1 or different from those recited in claim 1. Because claims 6 and 15 depend from indefinite claim 2 and do not clarify the point of confusion, they must also be rejected under 35 U.S.C. 112, second paragraph.

35 U.S.C. 112, 1st

30. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

31. Claims 2, 6 and 15 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for producing labeled nucleic acid from the template nucleic acid, does not reasonably provide enablement for producing one or more labeled proteins, polypeptides or peptides encoded by the template nucleic acid of claim 1. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

The factors to be considered in determining whether a disclosure meets the enablement requirement of 35 U.S.C. 112, first paragraph, have been described in In re Wands, 8 USPQ2d 1400 (Fed. Cir. 1988). Among these factors are: (1) the nature or the invention; (2) the state of the prior art; (3) the relative skill of those in the art; (4) the predictability or unpredictability of the art; (5) the breadth of the claims; (6) the amount of direction or guidance presented; (7) the presence or absence of working examples; and (8) the quantity of experimentation necessary. When the above factors are weighed, it is the examiner's position that one skilled in the art could not practice the invention without undue experimentation.

(1) The nature of the invention and (5) The breadth of the claims:

The invention is drawn to a comprising: placing plurality of labeled proteins, polypeptides or peptides in a plurality of chambers, such that different chambers contain a different type of labeled amino acid, further comprising placing a template nucleic acid into each chamber, and producing one or more labeled proteins, polypeptides or peptides encoded by the template nucleic acid.

(2) The state of the prior art:

Branton Lab-Nanopore Sequencing Description (originally filed with IDS, 10/29/2003, however Applicant has not provided copy of this reference) describes characterizing the concentration and size of nucleic acid polymers through a protein channel in a lipid bilayer (see p. 2). Branton Lab further describes that the channel pore can only accommodate one strand of DNA or RNA at a time, and the nanopore behaves as a detector that can rapidly discriminate between pyrimidine and purine segments along single RNA molecules (see p. 2 and Figure 2). Branton Lab describes that this technology can be used to characterize the sequence of bases in single molecules of DNA (see p. 3).

Su et al (US Patent No. 7,005,264 B2) claims a method comprising a) placing a template nucleic acid into four chambers, each chamber being associated with different nanopores and each chamber comprising a different labeled nucleotide; b) synthesizing a labeled nucleic acid from the template nucleic acid; c) contacting the labeled nucleic acid in each chamber with its associated nanopore, wherein the labeled nucleic acid

Art Unit: 1654

passes through the associated nanopore; d) detecting a labeled nucleotide; e) compiling a nucleotide distance map for each type of labeled nucleotide; and f) determining the sequence of the nucleic acid from the nucleotide distance maps (see claim 1). Patent '264 teaches that a labeled nucleic acid can be synthesized from the template nucleic acid.

The art provide guidance as producing labeled nucleic acid from template nucleic acid, characterizing and sequencing polynucleotide, but no art provide guidance as how to produce labeled proteins, polypeptides or peptides of claim 1 from template nucleic acid.

(3) The relative skill of those in the art:

The relative skill of those in the art is high.

(4) The predictability or unpredictability of the art:

Applicant's activity is based on the determination of producing the same labeled proteins, polypeptides or peptides of claim 1 from a template nucleic acid. However, it is unpredictable that a template nucleic acid would produce the same labeled proteins, polypeptides or peptides of claim 1. Since the activity is based on producing the same labeled proteins, polypeptide or peptides of claim 1 from a template nucleic acid, the predictability in the art is low. This is due to the fact that not all template nucleic acid would produce the same labeled proteins, polypeptides or peptide.

As described above, Branton Lab-Nanopore Sequencing Description describes characterizing the concentration and size of nucleic acid polymers through a protein channel in a lipid bilayer (see p. 2). Branton Lab further describes that the channel pore can only accommodate one strand of DNA or RNA at a time, and the nanopore behaves as a detector that can rapidly discriminate between pyrimidine and purine segments along single RNA molecules (see p. 2 and Figure 2). Branton Lab describes that this technology can be used to characterize the sequence of bases in single molecules of DNA (see p. 3).

Su et al (US Patent No. 7,005,264 B2) claims a method comprising a) placing a template nucleic acid into four chambers, each chamber being associated with different nanopores and each chamber comprising a different labeled nucleotide; b) synthesizing a labeled nucleic acid from the template nucleic acid; c) contacting the labeled nucleic acid in each chamber with its associated nanopore, wherein the labeled nucleic acid passes through the associated nanopore; d) detecting a labeled nucleotide; e) compiling a nucleotide distance map for each type of labeled nucleotide; and f) determining the sequence of the nucleic acid from the nucleotide distance maps (see claim 1). Patent '264 teaches that a labeled nucleic acid can be synthesized from the template nucleic acid.

The claim doesn't identify the which template nucleic acid, and the claim recites that "a template nucleic acid" and "producing one or more labeled proteins, polypeptides or peptides encoded by the template nucleic acid", therefore, the claim implies that a any one single template nucleic acid would produce the same labeled proteins,

Art Unit: 1654

polypeptides or peptides of claim 1. However, the Applicant has not shown how a single template nucleic acid would produce the same labeled proteins, polypeptides or peptides of claim 1. There are too many variables between the template nucleic acids and the proteins, polypeptides or peptides produced from the template nucleic acids, thus, it clearly shows the unpredictability of the art.

(6) The amount of direction or guidance presented and (7) The presence or absence of working examples:

The instant specification provides guidance as how to label proteins (see Example 4). For example, methods of labeling proteins on amine residues, such as lysine, arginine and the N-terminal residue of the protein (see paragraph [0126] of instant specification US 2005/0282229 A1). The same Example 4 describes methods of labeling proteins on carboxyl residues, such as glutamate, aspartate and the C-terminal residues (see paragraph [0127] of instant specification as above). The instant specification further discloses Raman detection of analytes, such as single nucleotides, oligonucleotides (see Example 5). Further, the instant specification discloses that "the skilled artisan will realize that the disclosed methods are exemplary only and that the Raman detection techniques disclosed for analysis of nucleotides and oligonucleotides are also applicable for amino acids and proteins" (see paragraph [0145] of instant specification as above, and Example 6).

The specification has not provided guidance in the way of a disclosure as how to produce the same labeled proteins, polypeptides or peptides from a single template of

Art Unit: 1654

nucleic acid. The specification further does not disclose producing any labeled proteins, polypeptides or peptides from a template nucleic acid. The specification discloses that proteins to be analyzed may be partially or fully purified from a variety of sources before analysis. The specification lists different well known techniques in the art in protein purification (see paragraphs [0044]-[0048] of instant specification above). The specification further discloses that nucleic acids encoding target proteins of interest may be incorporated into expression vectors for transformation into host cells and production of the encoded proteins (see paragraphs [0054]-[0063] of instant specification as above).

There is no clear guidance as how to produce the same labeled proteins, polypeptides or peptides from a template nucleic acid, since not all template nucleic acids would encode the same labeled proteins, polypeptides or peptides. Since it is unclear which template nucleic acid would produce the same labeled proteins, polypeptides or peptides, more guidance is necessary.

(8) The quantity of experimentation necessary:

Applicant has not provided how to produce the same labeled proteins, polypeptides or peptides of claim 1 from a template nucleic acid, one of ordinary skill in the art would be burdened with undue "painstaking experimentation study".

Conclusion

32. No claim is allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JULIE HA whose telephone number is (571)272-5982.

The examiner can normally be reached on Mon-Thurs, 5:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cecilia Tsang can be reached on 571-272-0562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Anish Gupta/
Primary Examiner, Art Unit 1654

/J. H./
Examiner, Art Unit 1654